



February 25, 2015



## Letter of Notice

*Spray Foam Installers, Architect, Designers, Engineers, the Construction Industry, Contractors, Suppliers providing services through-out Yukon and Building Owners*

***RE: Requirements for the Inspection of Spray Foam Installation***

We are writing to alert you of the requirements in pertaining to the *Installation of Spray Foam Insulation*.

*Spray Foam Material* shall comply with CAN/ULC-S705.1, "Thermal Insulation – Spray Applied Rigid Polyurethane Foam, Medium Density – Material – Specification" and shall be *Installed* in conformance with CAN/ULC-S705-2, "Thermal Insulation – Spray-Applied Ridged Polyurethane Foam, Medium Density – Application".

Inspection Authorities at the time of inspection of each installation will require the submission of the documentation as specified by the Standard – CAN/ULC-S705-2, including but not limited to the following:

- Confirmation is to be submitted confirming that the foam system has been approved for use in Canada, (i.e. CCMC Listing for the product's manufacturer), and
- Confirmation is to be submitted confirming that the contractor is a Canadian Accredited Contractor, (i.e. CUFCA or other accredited Association), and
- A copy of the completed daily worksheet(s) for each installation, is to be submitted, and
- A copy of the Job Site Label is to be submitted, and
- Confirmation is to be submitted confirming the on-site test results (i.e. installed depth "R" or "RSI" value/density, adhesion, cohesion etc.).


Without the submission of the above items the insulation Inspection cannot be approved and the *Spray Foam Installer* may be required to remove all of the *Spray Foam Material*.

Please be advised that a thermal barrier that complies with one of the interior finishes described in 9.29.4. to 9.29.9. of the NBC (i.e. drywall, plywood, particleboard etc.) shall be applied over the *Spray Foam Material*, when it is adjacent to occupied spaces in a building. This includes crawlspaces that are used as a plenum or used for storage or if there are any fuel burning appliances located in the crawlspace.

Should you have any questions please contact one of the undersigned.



Doug Thorseth  
Senior Building Official/Supervisor  
(867) 668-8343  
Planning & Development Services  
Operations Division  
City of Whitehorse



Stan Dueck RBO  
Chief Building/Plumbing Inspector  
(867) 667-5445  
Building & Safety Standards Branch  
Community Services  
Yukon Government